

IB/05/050387

REC'D 18 FEB 2005

WIPO

PA 1174317



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

May 25, 2004

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.


APPLICATION NUMBER: 60/546,077 ✓

FILING DATE: February 19, 2004 ✓

PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

By Authority of the
COMMISSIONER OF PATENTS AND TRADEMARKS



M. K. HAWKINS
Certifying Officer

PATENT APPLICATION SERIAL NO. _____

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE
FEE RECORD SHEET

02/24/2004 HGBREM1 00000118 141270 60546077

01 FC:1005 160.00 DA

PTO-1556
(5/87)

*U.S. Government Printing Office: 2001 — 481-697/59173



16152
U.S. PTO

Please type a plus sign (+) inside this box → +

Approved for use through 10/31/2002. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53 (c).

Express Mail Label No. EV 312 068 309

Date of Deposit: February 19, 2004

INVENTOR(S)					
Given Name (first and middle [if any])	Family Name or Surname	Residence (City and either State or Foreign Country)			
Felix Henric Govert David Peter Louis	OGG SIMONS	Eindhoven, Netherlands Eindhoven, Netherlands			
<input type="checkbox"/> Additional inventors are being named on the _____ separately numbered sheets attached hereto					
TITLE OF THE INVENTION (280 characters max)					
AUDIO PACING DEVICE					
CORRESPONDENCE ADDRESS					
Direct all correspondence to:					
<input checked="" type="checkbox"/> Customer Number		24737		<div style="border: 1px solid black; padding: 5px; display: inline-block;"> *24737* </div>	
OR _____ Type Customer Number here					
<input checked="" type="checkbox"/> Firm or Individual Name		U. S. PHILIPS CORPORATION			
Address		P. O. BOX 3001			
Address					
City		BRIARCLIFF MANOR	State	NY	ZIP
Country		USA	Telephone	(914) 945-6000	Fax
					(914) 332-0615
ENCLOSED APPLICATION PARTS (check all that apply)					
<input checked="" type="checkbox"/> Specification Number of Pages		14		<input type="checkbox"/> CD(s), Number _____	
X Drawing(s) Number of Sheets		2		Other (specify) _____	
<input type="checkbox"/> Application Data Sheet. See 37 CFR 1.76					
METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT (check one)					
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27.					
<input type="checkbox"/> A check or money order is enclosed to cover the filing fees					
<input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number: 14-1270					
<input type="checkbox"/> Payment by credit card. Form PTO-2038 is attached.					
FILING FEE AMOUNT (\$)					
160.00					
The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.					
<input checked="" type="checkbox"/> No.					
<input type="checkbox"/> Yes, the name of the U.S. Government agency and the Government contract number are: _____					

Respectfully submitted,
SIGNATURE

Date February 19, 2004

TYPED or PRINTED NAME

Daniel J. Plotrowski

REGISTRATION NO.: 42,079
(if appropriate)

TELEPHONE

(914) 333-9624

Docket Number: US 040130

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the complete provisional application to the PTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, D.C., 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Box Provisional Application, Assistant Commissioner for Patents, Alexandria, VA 22313.

22856 U.S. PTO
60/546077



AUDIO PACING DEVICE

5 The present invention relates to a device and methods using an audio (music) signal, a parameter of an individual (e.g. pulse rate (heartbeat)), and musical listening devices for audio pacing. More particularly, the present invention relates to a device and method capable of measuring parameter of an individual in physical exercise and selecting an audio signal corresponding to an appropriate beats per minute (BPM) to achieve a particular exercise level or intensity.

10 Numerous physical exercise programs and, in particular, running or jogging performed by individuals are significantly more effective in a particular range of heart beat rates. The required heart beat rates vary for the individuals with different ages and health factors. Moreover, individual heart beat rates that drop to a specific low level, result in physical exercises that can have only a slight influence on them. Further, individual heart beat rates
15 that go beyond an upper limit level, result in exercises that can have a harmful influence on them. Accordingly, people who start physical exercise programs should exercise in amounts suitable for them according to their physical status.

Heart beat (or pulse rate) analysis devices are used as an exercise amount measurement. They measure the heart beat rate (pulse rate) of an individual in exercise in
20 heart beats per minute, and compare the measured number with a standard table, so that one measures the physical exercise as weak, medium, or strong for oneself. Further, sports literature is available with specific tables for goals such as fat-burning/weight loss, energizing exercise, cardiovascular training or speed training. Depending on one's weight, height, body fat percentage, age, gender (etc.) one can find the ideal pulse pace for the goal at hand.

25 Particularly athletes, who want to track their improvements, and thus stay motivated to follow through, find heartbeat monitoring tools motivating and stimulating.

Conventional heart beat analysis devices, such as the Polar™ sportswatch, are known to give audible feedback (e.g. a beep) when the pulse of a user/athlete exceeds a target pulse threshold (upper or lower). It thereby signals the user to adjust the exercise strength
30 accordingly to return to the appropriate training zone or level.

However, such conventional heartbeat analysis devices suffer from a number of limitations. For example, many users find the beeping annoying and as a result are known to turn the beeping off altogether. Further, other athletes use portable music playback devices, such as MP3 players, during exercise routines and cannot hear the beeping.

5 Further, listening to music while performing physical exercise is very popular. However, a problem of listening to music while exercising is that the music often has a tempo which is out of synchronization with the pace of the person exercising. Modern day pop music is generally supported by a clear drumbeat that can be followed in the pace of a physical exercise. Soldiers march to the beat of a song and in the same way Roman slaves rowed their
10 boats to a drumbeat. Athletes enjoy moving along the beat of music playing, since this helps them in keeping a constant pace. Music is a powerful tool to increase the performance of athletes if they are sensitive to it.

Accordingly, there is a need for an apparatus that enables effective heartbeat analysis and pacing in a non-intrusive and motivating fashion, using a music playback device.

15 The present invention is directed to a system and method for an audio pacing device which monitors a parameter of user in exercise, such as heart rate, and provides an audio signal that is correlated to an individual's exercise program or routine to achieve a target performance level. The target performance level may imply increasing, decreasing or maintaining a particular exercise level or intensity.

20 The audio signals are categorized, for example based on their beat per minute (BPM) value. The audio signal categorization can be conducted either by the audio pacing device or by an external device, such as a PC, and then transferred to the audio pacing device. An audio signal is selected having a beat per minute (BPM) corresponding to the target performance level of the parameter of the user (e.g. heart rate). The audio signal comprises an MP3, WAV,
25 AAC or WMA file, and the like, generally containing music.

In accordance with the principles of the present invention an audio pacing device is provided including a sensing unit, for example a heart rate monitoring unit, to obtain a parameter, for example pulse, of a user in physical exercise, a memory to store a plurality of audio signals having predetermined musical tempo, for example, beat per minute values; and a
30 processing unit configured to (1) determine whether the intensity of the parameter of the user

should be increased, decreased or maintained by sampling the parameter of the user from the sensing unit and comparing it to a predetermined reference value, and (2) select an audio file having a higher, lower or equal tempo that will make the user speed up, slow down, or maintain the current exercise level or intensity, which will result in an increase, decrease or maintaining of the parameter of the user respectively.

The audio pacing device may further comprise a method of dynamically adjusting the tempo of a selected audio signal by a predetermined amount to enable a parameter of the user to achieve a target value or rate. If the maximal adjustment amount turns out to be insufficient for the user to achieve the target rate, a new audio signal is selected with an appropriate tempo.

The present invention is more fully understood by reference to the following detailed description of a preferred embodiment in combination with the drawings identified below.

FIG. 1 is a view for showing an audio pacing device according to an embodiment of the present invention;

FIG. 2 is a block diagram for showing an internal structure of the processing unit FIG. 1; and

FIG. 3 is a flow chart for showing a process of the audio pacing device of FIG. 1.

In the following description, for purposes of explanation rather than limitation, specific details are set forth such as the particular architecture, interfaces, techniques, etc., in order to provide a thorough understanding of the present invention. However, it will be apparent to those skilled in the art that the present invention may be practiced in other embodiments that depart from these specific details. As used herein the terms "pulse" means a heart-beat rate, "tempo" of an audio signal is, for example in BPM, and "pace" refers to an exercise tempo.

This application is filed concurrently with co-pending U.S. Patent Application "Audio Interval Training Device ", serial number XX/XXXXXX, filed _____, 2004, for F. H. G. Ogg and D. P. L. Simons, and is incorporated by reference herein.

Referring to the drawings and, in particular, Fig. 1, there is shown an audio pacing device in accordance with the present invention generally represented by reference numeral 100.

As shown in FIG. 1, the present invention includes a processing unit 102, a sensing unit 104 (hereinafter for exemplary purposes referred to as a "heart rate monitor 104") and input/output port 106. The processing unit 102 performs the functions of: (1) receiving and storing parameter information (hereinafter for exemplary purposes referred to as "heart rate") of a user in physical exercise, (2) storing BPM-rated audio signals and (3) selecting an audio signal with a particular BPM according to user's exercise program. The parameter information of a user in physical exercise may include any measure related to a user physical status or condition, for example, heart rate or a step-rate measurement, speed measurement (in m/s), for example using the electronic speed sensor on sports bicycles, rowing trainers or any other kind of digital fitness equipment, the sit-up speed from a sit-up trainer equipped with a sensor to count the number of sit-ups per minute, similarly a sensor on a strap-on belt on an ankle/wrist/head/waist etc. (for aerobics ground exercises), providing a rating, as well as other measures such as travel speed in general (in m/s), obtained from car-electronics or a GPS device, enabling one to travel at some target cruise-speed by following the music of in-car audio and tap-rates obtained from a tap sensor, for example a drum/tap. The processing unit 102 may also digitize received broadcast signals and encode them according to a particular coding scheme (e.g. MP3, WAV, AAC, MPEG-4 and the like) and BPM-rate received audio signals. Alternatively, as well be apparent to those skilled in the art, the processing unit 102 may also include an integrated heart rate monitor.

The processing unit measures a user's exercise effects by receiving and analyzing heart rate information of a user in physical exercise. For example, data analysis is performed for a change rate of the number of heart beats by time, a suitable exercise course based on a change of the number of heart beats, a proposal of the objective heart beats (a proper exercise amount) based on age, gender, height, and weight, an indication of an exercise improvement degree based on the change of the heart beat rate, a total amount of calories (being) consumed during exercise, what percent of the total consumed calories amount comes from the body fat, and so on.

The processing unit 102 may be manufactured in any conventional design or manner including: (1) to be worn on the wrist like a wrist watch in one body with the heart rate monitor 104, (2) to be attached on the front of the user's sporting coat, (3) to be hung around the neck of a user by a string like a stop watch, and (4) to be integrated in a wearable fabric or clothing-type

device. In particular, the use of integrated electronic and conductive fibers in various sewn or woven fabrics used as conductive traces, bio-sensors, electrodes, and other wearable electronic devices are well known. For example, in the case of a Wearable Heart Rate Monitor (WHRM) device for general sport applications, the electrodes can be fully made of fabric and
5 can be fully integrated into a garment such as a running top. The electronics though that collect the data from the electrodes and transmit them wirelessly to a watch or similar device are contained in a separate small unit which can be attached onto the garment in such a way that it can make good electrical contact with the electrodes.

The heart rate monitor 104 is connected to the processing unit 102 in a wire, wireless or
10 wearable fabric way, and performs a function of continuously measuring the heart beat rate of a user in physical exercise and transferring the measured values to the processing unit 102. The heart rate monitor can be any conventional unit, for example the Polar TM Sportswatch, by Polar Electronics. Such heart rate monitor 104 is carried on a wrist like a wrist watch.

The input/output port 106 is connected to the processing unit 102 and heart rate monitor
15 for exchanging data, and includes the functions of transferring digitalized music files to the processor 102 and outputting audio signals, selected based on their tempo (e.g. their BPM rating).

FIG. 2 is a component diagram of the processing unit 102 of FIG. 1 according to an embodiment of the present invention.

As shown in FIG. 2, the processing unit according to the present invention has a control
20 unit 202, an output unit 204, a storage unit 206, a heart rate signal receiving unit 208, and an input unit 210. The control unit 202 includes a conventional microcomputer and a digital signal processor (DSP) (not shown). The output unit 204 includes an audio output unit and may include an indication unit (not shown). The parameter receiving unit 208 (hereinafter for exemplary purposes referred to as a "heart rate signal receiving unit 208") receives heart rate information
25 from the heart rate monitor 104 and transfers it to the control unit 202. As indicated above, a conventional heart rate monitor can also be integrated into the processing unit.

Storage unit 206 contains a group of BPM categorized audio signals, for example MP3s. In addition, storage unit 206 may contain programmed exercise routines or target exercise levels, as further described below, which are received using input unit 210.

The BPM categorizing can be performed by the processing unit or off-line and downloaded to the audio pacing device. The BPM categorized audio signals can be input into the storage unit 206 using any conventional manner (e.g. downloaded from a PC, wirelessly transmitted, etc.) A conventional tool that does automatic (off-line) BPM analysis upon audio files to measure the musical tempo, (as well as dynamic (on-line) tempo adjustments, discussed below) is the PCDJ-Red product from Visiosonic, (see e.g. <http://www.pcdj.com/products/Red.asp> and <http://www.curiousdjs.com/pcdj.html>). This tool will determine the average BPM of a song to an accuracy of 0.01 BPM (such as 86.56 beats per minute). Once an audio signal is tempo-analyzed, the BPM value it is stored with the audio signal, for example in the header of the audio signal. In particular, in the case of MP3 files, the BPM value is stored in the MP3 file, as an ID3v2 BPM tag, which can be read by other applications subsequently. Thus, for example, MP3s can be downloaded to the audio pacing device that are searched (e.g. on the Internet) for their ID3v2 BPM tag values. If no value for their BPM is available, it is generated by using BPM analysis algorithms in the audio pacing device.

The control unit 202 stores the sampled heart rate (pulse) into a storage unit 206, analyzes the rate received, compares it with a predetermined comparison value (pulse Target) (e.g. target level or programmed exercise program), and selects an audio signal having a tempo (e.g. denoted in a BPM value) corresponding to an appropriate level to increase, decrease or maintain a user's heart rate, and output the selected audio signal using output unit 204. The comparison value may be a predetermined or variable, it may also be re-adjusted at run-time. (i.e. the user may want to slow down, and he decreases his target heart rate accordingly.

The appropriate level to increase or decrease user's heart rate is predetermined by the user or by any other conventional manner. For example, an objective number of heart beats as a reference value range which can evaluate what extent of heart beats corresponds to a high-strength exercise, a medium-strength exercise, or a low-strength exercise. In the same way it may set a range for cardio-vascular, aerobic or an-aerobic exercise. Moreover, established values for heart rates during physical exercise can be used that factor the age, gender, height, weight, etc., of a user. In addition, the processing unit can store (in storage unit 206) programmed training

routines, using the above factors, for a user wherein heart rate levels are established. The programmed training routines can be input into the processing unit in any conventional manner. For example, a heartbeat sensor, such as the Polar™ sportswatch, can be manually programmed with a training zone (two heart beat values).

5 Accordingly, the control unit 202 receives heart rate of a user (an individual in physical exercise) from the heart rate monitor unit 208, compares the received heart rate with the predetermined objective heart rate, and determines an appropriate BPM audio signal to output to help achieve the desired user heart rate. When a particular audio signal, or song/music ends, while the user is in an exercise program, another audio signal with a similar BPM is selected from
10 the store group of audio signals.

 The processing device is also enabled to receive input from a user, using the input unit 210, for example a button, during exercise to denote particular audio signals or songs that support the exercise or training. Also, the user can use the input unit 210 to denote favorite audio signals. This in turn will enhance the probability that the particular audio signal will be selected during a
15 later exercise session. For example, once an audio signal is denoted favorite, if an audio signal is needed in the future within a predetermined range (for example +/- 10%) of the denoted audio signal's BPM, it will be selected.

 In a similar manner, the user can store an indication of the type of exercise, for example, the type of sport (e.g. running, rowing, cycling etc.) along with the denoted audio signal. Thus,
20 the processing device records the most appropriate audio signal for each type of sport or exercise for a user (as presets). This, for example, shortens the time to select a matching BPM audio signal, during a start of an exercise, wherein a user expects the device to play music/song (audio signal) that best fits his exercise. After choosing an initial song, all similar BPM songs in storage are ready for use.

25 The control unit 202 also performs dynamic (on-line) tempo adjustments of a selected audio signal to pace a user to maintain a desired heart rate. For example, during physical exercise, when a user's heart rate is (slightly) out of the desired range, the control unit 202 adjusts the audio signal's tempo to help direct to the user to the appropriate heart rate. Preferably, the audio signal's tempo is not adjusted to more than about a predetermined amount

from a base line (e.g. 10%). For example, the base line is the natural tempo of the music itself. The tempo adjustments based on the heart rate continue constantly during an exercise program. If, with tempo adjusted maximally, the user's heart rate is still outside the desired range, another audio signal with an appropriate BPM rate is selected and rendered to the user.

5 Pacing by step-speed can also be used to select audio signals, e.g. the dynamic tempo adjustments of a selected audio signal, which times the step-tempo of the user/athlete. Conventional step-speed measurement devices are known and can be further integrated into the processing device 102. The processing unit 102 selects an audio signal and then adjusts its tempo to
10 match the exact running tempo of the user or select another audio signal that has a tempo that matches the step-speed. Moreover, the audio pacing device may be configured to switch modes, such that when the device has found the music (audio signal) that is appropriate for the exercise (e.g. running), the device starts to pace the user to maintain the current level
15 of exercise intensity from that moment on. The switching modes include pacing by step-speed target or by heart-rate target.

The heart rate receiving unit 208 receives heart rate data from the heart rate monitor 104 in a wire or wireless way. In case of wire, data is received through a certain cable, and, in case of wireless, receptions are carried out by using a wireless signal such as an RF signal and the like.

20 FIG. 3 is a flow chart illustrating the operation steps of heart rate audio pacing.

As shown in FIG. 3, the process begins (start 300) with a user (or automatically) selecting an exercise level(s) or program in step 302, by a user using the input/output port 106. The user sets a pulse target. In step 304, the processing unit 102 receives heart rate information from the heart rate monitor and stores it in storage unit 206. The control unit 202 analyzes the received
25 heart rate information and compares it to the selected exercise levels in step 306, and the processing unit 102 selects a medium tempo (e.g. an MP3 file having a BPM value around the average of all BPM values on storage) audio signal, or a favorite audio signal. In particular, the control unit determines the heartbeat rate (pulse) of the user and at what stage or level the user is in the selected exercise program and determines whether the user needs to increase, decrease or
30 maintain the current pace (exercise intensity). In step 308, the control unit 202 selects an audio signal from storage unit 206 in accordance with the determination of step 306 and provides it to the user.

The user is expected to move to the beat of the music. The heart rate monitor continuously samples the heart rate of the user. If after a small period of time has elapsed (determined by the type of exercise or a predetermined time) the user's heart rate is not within a small range of the target pulse, the device will pace the user towards the desired pulse, by either
5 adjusting the tempo of the audio signal being rendered, or by selecting a different audio signal.

For example, if the user's exercise intensity is insufficient for his heart rate to attain the target, the tempo of the audio signal will be increased. As described above, this can be accomplished in two ways. First, by increasing the playing tempo of the current audio signal. This is preferable over the second way: selecting a different audio signal, since it does not
10 interrupt the flow of music. However increasing the tempo with more than about 10% from the natural tempo will not go unnoticed by the user (which may be annoying to the user). Therefore, the device will first try to pace the user by speeding up the tempo of the current audio signal. If the tempo is 110% and the user's heart rate still is below target, the device will select another audio signal. In this case the newly selected audio signal will have a higher BPM value than that
15 of the current audio signal. (The device will thus play more up-tempo music.)

In the same way, the device will monitor the user's heart rate rising above the target heart rate and pace the user to slow down.

A user/athlete following the tempo of her music will eventually attain her target heart rate, and thus perform her exercise at the targeted intensity. At this time, the music tempo may
20 oscillate around the ideal tempo which will go unnoticed by the user/listener. This process continues until STOP or end 312.

In step 310, process determines whether the selected exercise program has ended (end 312) or returns to the step 304.

The preceding and following merely illustrates the principles of the invention. It will
25 thus be appreciated that those skilled in the art will be able to devise various arrangements which, although not explicitly described or shown herein, embody the principles of the invention and are included within its spirit and scope. For example, an inexpensive version of the heart rate audio pacing apparatus may comprise a device without a heart rate monitor (or feedback sensor). The device would feature two buttons: Faster and Slower. When pressed
30 they adjust the pace (again first up to about 10% by speedup, then by selecting another audio

signal). Additionally, it is intended that such equivalents include both currently known equivalents as well as equivalents developed in the future, i.e., any elements developed that perform the same function, regardless of structure.

5 The functions of the various elements shown in FIGs. 1 and 2, may be provided through the use of dedicated hardware as well as hardware capable of executing software in association with appropriate software. When provided by a processor, the functions may be provided by a single dedicated processor, by a single shared processor, or by a plurality of individual processors, some of which may be shared. Moreover, explicit use of the term "processor", "server" or "controller" should not be construed to refer exclusively to hardware
10 capable of executing software, and may implicitly include, without limitation, digital signal processor (DSP) hardware, read-only memory (ROM) for storing software, random access memory (RAM) and non-volatile storage. Other hardware, conventional and/or custom, may also be included.

In the claims hereof any element expressed as a means for performing a specified
15 function is intended to encompass any way of performing that function including, for example, a) a combination of circuit elements which performs that function or b) software in any form, including, downloadable or retrofit software or the like, combined with appropriate circuitry for executing that software to perform the function. The invention as defined by such claims resides in the fact that the functionalities provided by the various recited means are combined
20 and brought together in the manner which the claims call for. Applicant thus regards any means which can provide those functionalities as equivalent as those shown herein.

CLAIMS:

1. An audio pacing device, comprising:
a sensing unit to obtain a parameter of a user in physical exercise; a memory to store a plurality of audio signals having predetermined tempo values; and
a processing unit configured to (1) determine whether intensity of the parameter of the user should be increased, decreased or maintained by using the parameter of the user from the sensing unit and a predetermined reference value, and (2) select an audio signal having a tempo that enables the user to increase, decrease or maintain the intensity.
2. The audio pacing device as claimed in claim 1, wherein the parameter is a pulse rate.
3. The audio pacing device as claimed in claim 1, wherein the parameter is a step-speed rate.
4. The audio pacing device as claimed in claim 1, wherein the tempo is a beat per minute value.
5. The audio pacing device as claimed in claim 2, wherein the sensing unit is a heart rate monitor.
6. The audio pacing device as claimed in claim 3, wherein the sensing unit is a step-speed measurement unit.
7. The audio pacing device as claimed in claim 1, wherein the sensing unit and the processing unit are connected in a wired or wireless way.
8. The audio pacing device as claimed in claim 1, wherein the processing unit is further configured to adjust the tempo of a selected audio signal by a predetermined amount.

9. The audio pacing device as claimed in claim 1, wherein the predetermined reference value includes reference values selected by a user or a programmed exercise routine.

10. The audio pacing device as claimed in claim 1, wherein the audio signals are categorized based on their tempo value.

11. The audio pacing device as claimed in claim 1, wherein the predetermined tempo values of the plurality of audio signals are determined either by the audio pacing device, or by an external device and transferred to the audio rate pacing device.

12. The audio pacing device as claimed in claim 1, wherein the audio signals are encoded in an MP3, WAV, MPEG-4 , WMA, or AAC format.

13. The audio pacing device as claimed in claim 1, further including a switch to enable use of the audio pacing device in a first mode having a first sensing unit and a first parameter and a second mode having second sensing unit and a second parameter.

14. An audio pacing method, comprising the steps of:
receiving a parameter of a user in physical exercise from a sensing unit;
determining whether intensity of the parameter of the user should be increased, decreased or maintained by using the parameter of the user from the sensing unit and a predetermined reference value;
selecting an audio signal having a tempo that enables the user to increase, decrease or maintain the intensity.

15. The audio pacing method as claimed in claim 14, further comprising the step of adjusting the tempo of a selected audio signal

16. The audio pacing method as claimed in claim 14, further comprising the step of a user selecting the said predetermined reference value from a group of reference values or a programmed exercise routine.

17. The heart rate audio pacing method as claimed in claim 14, wherein the audio signals are encoded in an MP3, WAV, MPEG-4, WMA, or AAC format.

18. The audio pacing method as claimed in claim 14, wherein the parameter is a pulse rate or a step speed rate.

19. The audio pacing device as claimed in claim 14, wherein the sensing unit is a heart rate monitor or a step-speed measurement unit.

20. An audio pacing device, comprising:

a sensing unit to obtain a parameter that is representative of a status of a user in motion;
a memory to store a plurality of audio signals having predetermined tempo values; and

a processing unit configured to (1) determine whether the parameter should be increased, decreased or maintained by using the parameter from the sensing unit and a predetermined reference value, and (2) select an audio signal having a tempo that enables the user to increase, decrease or maintain the parameter.

ABSTRACT

There is provided a audio pacing device including a sensing unit, such as heart rate monitoring unit, to obtain a parameter, such as heart-beat rate (pulse), of a user in physical exercise, a
5 memory to store a plurality of audio signals having predetermined tempo indications (e.g. beats per minute values); and a processing unit configured to (1) determine whether the intensity of the parameter of the user should be increased, decreased or maintained by using the parameter of the user from the heart rate monitor and a predetermined reference value, and (2) dynamically select and render an audio signal having (or adjusted to have) an audio-tempo that enables the user to
10 accordingly increase, decrease or maintain exercise intensity, respectively.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

FELIX HENRIC GOVERT OGG ET AL

US 040130

Serial No.

Filed: CONCURRENTLY

Title: AUDIO PACING DEVICE

Commissioner for Patents
Alexandria, VA 22313

APPOINTMENT OF ASSOCIATES

Sir:


The undersigned Attorney of Record hereby revokes all prior appointments (if any) of Associate Attorney(s) or Agent(s) in the above-captioned case and appoints:

DANIEL J. PIOTROWSKI.....(Registration No. 42,079)

c/o U.S. PHILIPS CORPORATION, Intellectual Property Department,
P.O. BOX 3001, Briarcliff Manor, New York 10510, his Associate Attorney(s)/Agent(s) with all the usual powers to prosecute the above-identified application and any division or continuation thereof, to make alterations and amendments therein, and to transact all business in the Patent and Trademark Office connected therewith.

ALL CORRESPONDENCE CONCERNING THIS APPLICATION AND THE LETTERS PATENT WHEN GRANTED SHOULD BE ADDRESSED TO THE UNDERSIGNED ATTORNEY OF RECORD.

Respectfully,



Michael E. Marion, Reg. 32,266
Attorney of Record

Dated at Tarrytown, New York
on February 19, 2004.




FIG. 1




FIG. 2




FIG. 3